



2500



PHYSICIAN'S ORDER RECORD

PSVMC - Providence St. Vincent Medical Center

PATIENT IMPRINT

PEDIATRIC ADMISSION ORDERS

Note: Bulleted orders are implemented unless crossed out. Orders preceded by a box [ ] receive a (✓) to initiate and blanks indicate additional information is needed.

Admit: [ ] PSVMC Pediatric Hospitalist Service [ ] Other physician [ ] Primary care physician: [ ] Observation status [ ] Obtain records from: [ ] Latex allergy [ ] See Medication Reconciliation form

Diagnosis: \_\_\_\_\_

Condition: Fair / Stable / Guarded (circle) Weight \_\_\_\_\_ kg Height \_\_\_\_\_ cm Head circumference (<2 years) \_\_\_\_\_ cm

Allergies: [ ] No known drug allergies [ ] Drug allergies [ ] Latex allergy [ ] Food allergies [ ] See Medication Reconciliation form

Activity: [ ] Bed rest [ ] Bathroom privileges [ ] Out of bed with assistance [ ] Up to chair [ ] Ad lib [ ] Other

Nursing: Emergency drug list and bag-valve-mask at bedside

Vital signs every: [ ] 4 hours [ ] other [ ] neuro checks every [ ] hours [ ] Strict intake and output [ ] daily weight [ ] head circumference every [ ] days [ ] Maintain IV access at all times [ ] Topical anesthetic (EMLA, LMX, or vapocoolant spray) for all blood draws and line placements Infection precautions: [ ] airborne [ ] droplet [ ] contact Monitors: [ ] pulse oximetry [ ] cardiorespiratory [ ] other Precautions: [ ] aspiration [ ] seizure [ ] fall [ ] other Drains: [ ] Foley [ ] NG/OG/GT: [ ] other

Notifications: call MD for:

Temp greater than \_\_\_\_\_ or less than \_\_\_\_\_; Heart rate greater than \_\_\_\_\_ or less than \_\_\_\_\_; R greater than \_\_\_\_\_ or less than \_\_\_\_\_; SBP greater than \_\_\_\_\_ or less than \_\_\_\_\_; Urine output less than \_\_\_\_\_ Other \_\_\_\_\_

Table with 4 columns: Age, Pulse, Resp., BP (syst). Rows include NB, 6 mos, 1 year, 3 years, 6 years, 10 years.

Diet: [ ] Regular for age [ ] clear liquids [ ] advance as tolerated [ ] NPO [ ] NPO except for meds [ ] Other

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



PHYSICIAN'S ORDER RECORD

PSVMC - Providence St. Vincent Medical Center

PATIENT IMPRINT

PEDIATRIC ADMISSION ORDERS

Note: Bulleted orders are implemented unless crossed out. Orders preceded by a box [ ] receive a (✓) to initiate and blanks indicate additional information is needed.

Intravenous: [ ] Saline lock [ ] NS [ ] D5 NS [ ] D 5 \_\_\_\_\_ NS [ ] D 5 LR
Potassium orders: [ ] KCl \_\_\_\_\_ mEq/liter [ ] K acetate \_\_\_\_\_ mEq/liter
[ ] Other: \_\_\_\_\_
Total fluid rate (IV plus oral): \_\_\_\_\_ mL/hour = \_\_\_\_\_ mL every 4 hours (decrease IV rate as oral increases)
[ ] Ad lib oral intake when IV is saline locked

Respiratory: [ ] Oxygen via [ ] NC [ ] mask [ ] NRB mask [ ] blow-by: \_\_\_\_\_ (rate) as needed to keep oxygen saturation greater than \_\_\_\_\_ %; notify MD if greater than \_\_\_\_\_ is required. (May change route of oxygen to meet patient oxygen saturation needs and/or patient's tolerance of route)
[ ] Suction ([ ] oral [ ] nasal); specifics \_\_\_\_\_
[ ] Chest PT [ ] incentive spirometry [ ] PEP/mask CPAP; specifics \_\_\_\_\_
[ ] Other \_\_\_\_\_
Inhalational therapy:
[ ] Albuterol nebs ([ ] 1.25 [ ] 2.5 [ ] 5) mg inhaled every \_\_\_\_\_ hours scheduled; \_\_\_\_\_ hours PRN \_\_\_\_\_
[ ] Albuterol MDI \_\_\_\_\_ puffs inhaled every \_\_\_\_\_ hours scheduled; \_\_\_\_\_ hours PRN \_\_\_\_\_
[ ] Ipratropium nebs ([ ] 250 [ ] 500) micrograms inhaled every \_\_\_\_\_ hours PRN \_\_\_\_\_
[ ] Racemic epi 2.25% solution ([ ] 0.25 [ ] 0.5) mL inhaled every \_\_\_\_\_ hours PRN \_\_\_\_\_
[ ] Other \_\_\_\_\_

Initial Labs: [ ] Complete blood count ([ ] with differential) [ ] basic metabolic panel [ ] nutrition panel
[ ] Complete metabolic panel [ ] renal panel [ ] bilirubin [ ] reticulocyte count [ ] direct antigen test
[ ] Blood culture ([ ] one ; [ ] two) times: specifics \_\_\_\_\_
[ ] Other blood \_\_\_\_\_
[ ] U/A ([ ] bagged; [ ] cathed; [ ] clean catch); culture if indicated [ ] other urine \_\_\_\_\_
[ ] Sputum Gram stain/culture
[ ] nasal washings for: [ ] rapid RSV [ ] rapid influenza [ ] pertussis PCR [ ] other \_\_\_\_\_
[ ] RSV reflex respiratory virus panel (PCR for RSV is done first; if it is negative, additional reflex screens are done for adenovirus, influenza A, and influenza B; viral culture is also done)
CSF: [ ] Gram stain/culture [ ] glucose [ ] protein [ ] cell count with differential
[ ] viral PCRs \_\_\_\_\_ [ ] viral culture [ ] other \_\_\_\_\_
[ ] Other initial labs \_\_\_\_\_
[ ] Stool studies \_\_\_\_\_

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



2500



PHYSICIAN'S ORDER RECORD

PSVMC - Providence St. Vincent Medical Center

PATIENT IMPRINT

PEDIATRIC ADMISSION ORDERS

Note: Bulleted orders are implemented unless crossed out. Orders preceded by a box [ ] receive a (✓) to initiate and blanks indicate additional information is needed.

Subsequent Labs: \_\_\_\_\_

- Checkboxes for lab tests: CBC with differential, blood culture, Sputum Gram stain/culture, urinalysis, etc.

AM Labs: \_\_\_\_\_
Checkboxes for AM lab tests: Complete blood count, basic metabolic panel, renal panel, etc.

Consultations: All consultants to evaluate and treat
Checkboxes for various specialties: Respiratory Therapy, Acute Care Management, Child Life, nutrition, Physical therapy, occupational therapy, speech, wound care nurse, Physician consultants (MD to call).

Medications: [ ] Acetaminophen \_\_\_\_\_ mg (equal to \_\_\_\_\_ mg/kg/dose) by mouth every \_\_\_\_\_ hours scheduled or every \_\_\_\_\_ hours prn mild/moderate pain or fever greater than \_\_\_\_\_; may give rectally if orals not tolerated. Maximum daily dose not to exceed 75 mg/kg/day.
[ ] Ibuprofen \_\_\_\_\_ mg (equal to \_\_\_\_\_ mg/kg/dose) by mouth every \_\_\_\_\_ hours prn pain and fever greater than \_\_\_\_\_.
[ ] May alternate acetaminophen and ibuprofen if both ordered for pain or fever.
[ ] Ondansetron \_\_\_\_\_ mg (equal to \_\_\_\_\_ mg/kg/dose) IV every \_\_\_\_\_ hours prn nausea/emesis
[ ] Acetaminophen with codeine \_\_\_\_\_ mg of codeine component (equal to \_\_\_\_\_ mg/kg/dose) by mouth every \_\_\_\_\_ hours prn pain; maximum daily dose of acetaminophen not to exceed 75 mg/kg/day.
[ ] Morphine sulfate \_\_\_\_\_ mg (equal to \_\_\_\_\_ mg/kg/dose) IV every \_\_\_\_\_ hours prn moderate/severe pain

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_